Behavioural Brain Research, 27 (1988) 277–278
Elsevier

Author Index

A

Anderson, C.D., see Mair, R.G., 223
Azuma, M., Nakayama, H., Sasaki, Y. and Suzuki, H., Relation between visual input and motor outflow for eye movements in monkey frontal eye field, 93

B

Bachevalier, J., see Phillips, R.R., 99
Bagnoli, P., see Bingman, V.P., 179
Bingman, V.P., Ioalé, P., Casini, G. and Bagnoli, P., Unimpaired acqusition of spatial reference memory, but impaired homing performance in hippocampal-ablated pigeons, 179
Bonaventure, N., Jardon, B., Wioland, N., Yucel, H. and Rudolf, G., On cholinergic mechanisms in the optokinetic nystagmus of the frog: antagonistic effects of muscarinic and nicotinic systems, 59
Botez, M.I., see Lalonde, R., 273
Brailowsky, S., see Will, B.E., 123
Bures, J., see Wesierska, M., 115
Buresová, O., see Wesierska, M., 115

C

Cailotto, M., see Vallortigara, G., 189
Casini, G., see Bingman, V.P., 179
Charman, C.S., see Sinnamon, H.M., 145
Chung, H.S., see Reuter, J.H., 269
Cools, A., see Gelissen, M., 205
Cools, A.R., see Jaspers, R.M.A., 193

D

Davis, H.P., see Volpe, B.T., 259
Destrade, C., see Meunier, M., 161
DuMars, L.A., Rodger, L.D. and Kalivas, P.W., Behavioral cross-sensitization between cocaine and enkephalin in the A10 dopamine region, 87

F

Feer, H., see Gentsch, C., 37
Flandrin, J.M., see Hamada, T., 109
Furuya, N., see Hamada, T., 109

G

Gagliardo, A. and Teyssèdre, A., Interhemispheric transfer of olfactory information in homing pigeon, 173
Garcia, E.J., see Sinnamon, H.M., 131
Gelissen, M. and Cools, A., Effect of increasing doses of intracaudate haloperidol upon motor expressions that require an intact substantia nigra pars reticulata and/or superior colliculus in cats, 205
Gentsch, C., Lichtsteiner, M. and Feer, H., Competition for sucrose-pellets in triads of male Wistar rats: the individuals' performances are differing but stable, 37
Goodlett, C.R., see Kelly, S.J., 247

H

Hagan, J.J., Salamone, J.D., Simpson, J., Iversen, S.D. and Morris, R.G.M., Place navigation in rats is impaired by lesions of medial septum and diagonal band but not nucleus basalis magnocellularis, 9
Hamada, T., Flandrin, J.M. and Furuya, N., Latent defect in monocular optokinetic nystagmus after neonatal removal of the lateral suprasylvian area in the cat, 109
Hulsether, S.A., see Kelly, S.J., 247

I

Ioalé, P., see Bingman, V.P., 179
Iversen, S.D., see Hagan, J.J., 9

J

Jardon, B., see Bonaventura, N., 59
Jaspers, R.M.A. and Cools, A.R., Behavioural correlates of a progressive dysfunctioning of the caudate nucleus: effects of apomorphine, 193

K

Kalivas, P.W., see DuMars, L.A., 87
Kelly, M.E., see Vanderwolf, C.H., 45
Kelly, S.J., Goodlett, C.R., Hulsether, S.A. and West, J.R., Impaired spatial navigation in adult female but not adult male rats exposed to alcohol during the brain growth spurt, 247
Kraemer, P., see Vanderwolf, C.H., 45

L

Lalonde, R., Manseau, M. and Botez, M.I., Spontaneous alternation and exploration in staggerer mutant mice, 273
Langlais, P.J., see Mair, R.G., 223
Lenke, R., Hormonal control of sleep-appetitive behaviour and diurnal activity rhythms in the cleanser wrasse *Labroides dimidiatus (Labridae, Teleostei)*, 73
Lichtsteiner, M., see Gentsch, C., 37

M

Mair, R.G., Anderson, C.D., Langlais, P.J. and McEntee, W.J., Behavioral impairments, brain lesions and monoaminergic activity in the rat following recovery from a bout of thiamine deficiency, 223
Malamut, B.L., see Phillips, R.R., 99
Manseau, M., see Lalonde, R., 273
McEntee, W.J., see Mair, R.G., 223
Meunier, M. and Destrade, C., Electrolytic but not ibotenic acid lesions of the posterior cingulate cortex produce transitory facilitation of learning in mice, 161
Miall, R.C., Weir, D.J. and Stein, J.F., Planning of movement parameters in a visuo-motor tracking task, 1
Mishkin, M., see Phillips, R.R., 99
Morris, R.G.M., see Hagan, J.J., 9

N

Nakayama, H., see Azuma, M., 93

P

Phillips, R.R., Malamut, B.L., Bachevalier, J. and Mishkin, M., Dissociation of the effects of inferior temporal and limbic lesions on object discrimination learning with 24-h intertrial intervals, 99
Pisa, M., Motor somatotopy in the striatum of rat: manipulation, biting and gait, 21
Prasad, C., Neuropeptide-dopamine interactions. II. Cyclo (His-Pro) augmentation of amphetamine- but not apomorphine-induced stereotypic behavior, 241

R

Reuter, J.H. and Chung, H.S., The contribution of the rewarded and the non-rewarded stimulus in visual discrimination learning in mice, 269
Rodger, L.D., see DuMars, L.A., 87
Rudolf, G., see Bonaventure, N., 59

S

Salamone, J.D., see Hagan, J.J., 9
Sasaki, Y., see Azuma, M., 93
Simpson, J., see Hagan, J.J., 9
Sinnamon, H.M. and Charman, C.S., Unilateral and bilateral lesions of the anteromedial cortex increase perseverative head movements of the rat, 145
Sinnamon, H.M. and Garcia, E.J., Lateral neglect in a head movement task: more impairment with unilateral than bilateral lesions of the superior colliculus in the rat, 131
Stein, J.F., see Miall, R.C., 1
Streather, A., see Vanderwolf, C.H., 45
Suzuki, H., see Azuma, M., 93

T

Teyssèdre, A., see Gagliardo, A., 173
Toniolo, G., see Will, B.E., 123

V

Vallortigara, G., Zanforlin, M. and Cailotto, M., Right-Left asymmetry in position learning of male chicks, 189
Van de Poll, N.E., see Van Hest, A., 215
Vanderwolf, C.H., Kelly, M.E., Kraemer, P. and Streather, A., Are emotion and motivation localized in the limbic system and nucleus accumbens?, 45
Van Haaren, F., see Van Hest, A., 215
Van Hest, A., Van Haaren, F. and Van de Poll, N.E., The behavior of male and female Wistar rats pressing a lever for food is not affected by sex differences in food motivation, 215
Volpe, B.T., Waczek, B. and Davis, H.P., Modified T-maze training demonstrates dissociated memory loss in rats with ischemic hippocampal injury, 259

W

Waczek, B., see Volpe, B.T., 259
Weir, D.J., see Miall, R.C., 1
Wesierska, M., Buresová, O. and Bures, J., Differential effect of prior paradoxical sleep deprivation on conditioned taste aversion, neophobia and attenuation of neophobia to solid food in rats, 115
West, J.R., see Kelly, S.J., 247
Will, B.E., Toniolo, G. and Brailowsky, S., Unilateral infusion of GABA and saline into the nucleus basalis of rats: 1. Effects on motor function and brain morphology, 123
Wioland, N., see Bonaventure, N., 59

Y

Yucel, H., see Bonaventure, N., 59

Z

Zanforlin, M., see Vallortigara, G., 189

Behavioural Brain Research, 27 (1988) 279–282
Elsevier

Key Word Index

A

Acetylcholine
optokinetic nystagmus; muscarinic antagonist; nicotinic antagonist; frog, 59

Alcohol
spatial navigation; Morris water maze; fetal alcohol effect; sex difference; hippocampus, 247

γ-Aminobutyric acid
cholinergic system; gliosis; neurotoxicity; nucleus basalis; recovery; saline; turning, 123

Amnesia
cornu ammonis 2 (CA2); hippocampus; ischemia; learning; memory; T-maze, 259

Amphetamine
histidyl-proline diketopiperazine; apomorphine; stereotypic behavior, 241

Anterior cingulate cortex
posterior cingulata cortex; electrolytic lesion; ibotenic acid lesion; Hebb–Williams maze; mouse, 161

Anterior commissure
habituation; olfaction; cardiac response; interhemispheric transer; pigeon, 173

Anteromedial cortex
head movement; orienting; neglect; attention; perseveration, 145

Apomorphine
histidyl-proline diketopiperazine; amphetamine; stereotypic behavior, 241

superior colliculus; substantia nigra pars reticulata; caudate nucleus; movement; haloperidol; cat, 205

Arginine vasotocin
Labroides dimidiatus; sleep-appetitive behaviour; swimming activity; serotonin; *p*-chlorophenylalanine; vasoactive intestinal polypeptide, 73

Attention
anteromedial cortex; head movement; orienting; neglect; perseveration, 145

head movement; superior colliculus; neglect, 131

B

Behavior
caudate nucleus; dopamine; regression; cat, 193

Behavioral difference
food motivation; progressive ratio; gonadectomy; male Wistar rat; female Wistar rat, 215

Biting
striatum; motor control; somatotopy; feeding; gait; manipulation; ibotenic acid, 21

Brain asymmetry
position learning; sex difference; chick, 189

C

Cardiac response
anterior commissure; habituation; olfaction; interhemispheric transfer; pigeon, 173

Cat
caudate nucleus; dopamine; regression; behavior, 193

monocular optokinetic nystagmus; movement of the covered eye; neonatal lesion; lateral suprasylvian area, 109

superior colliculus; substantia nigra pars reticulata; caudate nucleus; movement; haloperidol; apomorphine, 205

Caudate nucleus
dopamine; regression; behavior; cat, 193

superior colliculus; substantia nigra pars reticulata; movement; haloperidol; apomorphine; cat, 205

Cerebellum
spontaneous alternation; motor activity; hole poking; staggerer mutant mice, 273

Chick
brain asymmetry; position learning; sex difference, 189

***p*-Chlorophenylalanine**
Labroides dimidiatus; sleep-appetitive behaviour; swimming activity; serotonin; arginine vasotocin; vasoactive intestinal polypeptide, 73

Choline acetyltransferase
place navigation; spatial learning; ibotenic acid; nucleus basalis magnocellularis; medial septum/vertical limb of diagonal band of Broca; rat, 9

Cholinergic system
γ-Aminobutyric acid; gliosis; neurotoxicity; nucleus basalis; recovery; saline; turning, 123

Cocaine
opioid; enkephalin; dopamine; motor activity; sensitization, 87

Competition
conflict; Wistar rat, 37

Conditioned taste aversion
paradoxical sleep deprivation; neophobia; fear; palatability; lithium chloride, 115

Conflict
competition; Wistar rat, 37

Cornu ammonis 2 (CA2)
amnesia; hippocampus; ischemia; learning; memory; T-maze, 259

D

Dopamine
caudate nucleus; regression; behavior; cat, 193

cocaine; opioid; enkephalin; motor activity; sensitization, 87

E

Electrolytic lesion
anterior cingulate cortex; posterior cingulate cortex; ibotenic acid lesion; Hebb–Williams maze; mouse, 161

Emotion
motivation; limbic system; nucleus accumbens; lesion; rat, 45

Enkephalin
cocaine; opioid; dopamine; motor activity; sensitization, 87

Eye movement
frontal eye field; visual receptive field; microstimulation; monkey, 93

F

Fear
conditioned taste aversion; paradoxical sleep deprivation; neophobia; palatability; lithium chloride, 115

Feeding
striatum; motor control; somatotopy; gait; biting; manipulation; ibotenic acid, 21

Female Wistar rat
food motivation; behavioral difference; progressive ratio; gonadectomy; male Wistar rat, 215

Fetal alcohol effect
spatial navigation; Morris water maze; sex difference; alcohol; hippocampus, 247

Food motivation
behavioral difference; progressive ratio; gonadectomy; male Wistar rat; female Wistar rat, 215

Frog
optokinetic nystagmus; acetylcholine; muscarinic antagonist; nicotinic antagonist, 59

Frontal eye field
visual receptive field; microstimulation; eye movement; monkey, 93

G

Gait
striatum; motor control; somatotopy; feeding; biting; manipulation; ibotenic acid, 21

Gliosis
cholinergic system; γ-Aminobutyric acid; neurotoxicity; nucleus basalis; recovery; saline; turning, 123

Gonadectomy
food motivation; behavioral difference; progressive ratio; male Wistar rat; female Wistar rat, 215

H

Habit formation
inferior temporal cortex; limbic structure; neostriatum; monkey, 99

Habituation
anterior commissure; olfaction; cardiac response; interhemispheric transfer; pigeon, 173

Haloperidol
superior colliculus; substantia nigra pars reticulata; caudate nucleus; movement; apomorphine; cat, 205

Head movement
anteromedial cortex; orienting; neglect; attention; perseveration, 145

superior colliculus; neglect; attention, 131

Hebb–Williams maze
anterior cingulate cortex; posterior cingulate cortex; electrolytic lesion; ibotenic acid lesion; mouse, 161

Hippocampal ablation
postoperative acquisition; reference memory; homing; spatial behavior; pigeon, 179

Hippocampus
amnesia; cornu ammonis 2 (CA2); ischemia; learning; memory; T-maze, 259

spatial navigation; Morris water maze; fetal alcohol effect; sex difference; alcohol, 247

Histidyl-proline diketopiperazine
amphetamine; apomorphine; stereotypic behavior, 241

Hole poking
cerebellum; spontaneous alternation; motor activity; staggerer mutant mice, 273

Homing
hippocampal ablation; postoperative acquisition; reference memory; spatial behavior; pigeon, 179

I

Ibotenic acid
place navigation; spatial learning; choline acetyltransferase; nucleus basalis magnocellularis; medial septum/vertical limb of diagonal band of Broca; rat, 9

striatum; motor control; somatotopy; feeding; gait; biting; manipulation, 21

Ibotenic acid lesion
anterior cingulate cortex; posterior cingulate cortex; electrolytic lesion; Hebb–Williams maze; mouse, 161

Inferior temporal cortex
limbic structure; neostriatum; habit formation; monkey, 99

Interhemispheric transfer
anterior commissure; habituation; olfaction; cardiac response; pigeon, 173

Ischemia
amnesia; cornu ammonis 2 (CA2); hippocampus; learning; memory; T-maze, 259

K

Korsakoff's disease
thalamic lesion; norepinephrine; memory impairment, 223

L

Labroides dimidiatus
sleep-appetitive behaviour; swimming activity; serotonin; *p*-chlorophenylalanine; arginine vasotocin; vasoactive intestinal polypeptide, 73

Lateral suprasylvian area
monocular optokinetic nystagmus; movement of the covered eye; neonatal lesion; cat, 109

Learning
amnesia; cornu ammonis 2 (CA2); hippocampus; ischemia; memory; T-maze, 259

Lesion
emotion; motivation; limbic system; nucleus accumbens; rat, 45

Limbic structure
inferior temporal cortex; neostriatum; habit formation; monkey, 99

Limbic system
emotion; motivation; nucleus accumbens; lesion; rat, 45

Lithium chloride
conditioned taste aversion; paradoxical sleep deprivation; neophobia; fear; palatability, 115

M

Male Wistar rat
food motivation; behavioral difference; progressive ratio; gonadectomy; female Wistar rat, 215

Manipulation
striatum; motor control; somatotopy; feeding; gait; biting; ibotenic acid, 21

Medial septum/vertical limb of diagonal band of Broca
place navigation; spatial learning; ibotenic acid; choline acetyltransferase; nucleus basalis magnocellularis; rat, 9

Memory
amnesia; cornu ammonis 2 (CA2); hippocampus; ischemia; learning; T-maze, 259

Memory impairment
Korsakoff's disease; thalamic lesion; norepinephrine, 223

Microstimulation
frontal eye field; visual receptive field; eye movement; monkey, 93

Monkey
frontal eye field; visual receptive field; microstimulation; eye movement, 93

inferior temporal cortex; limbic structure; neostriatum; habit formation, 99

visuo-motor; tracking; strategy, 1

Monocular optokinetic nystagmus
movement of the covered eye; neonatal lesion; lateral suprasylvian area; cat, 109

Morris water maze
spatial navigation; fetal alcohol effect; sex difference; alcohol; hippocampus, 247

Motivation
emotion; limbic system; nucleus accumbens; lesion; rat, 45

Motor activity
cerebellum; spontaneous alternation; hole poking; staggerer mutant mice, 273

cocaine; opioid; enkephalin; dopamine; sensitization, 87

Motor control
striatum; somatotopy; feeding; gait; biting; manipulation; ibotenic acid, 21

Mouse
anterior cingulate cortex; posterior cingulate cortex; electrolytic lesion; ibotenic acid lesion; Hebb–Williams maze, 161

visual discrimination; positive reinforcement; negative reinforcement, 269

Movement
superior colliculus; substantia nigra pars reticulata; caudate nucleus; haloperidol; apomorphine; cat, 205

Movement of the covered eye
monocular optokinetic nystagmus; neonatal lesion; lateral suprasylvian area; cat, 109

Muscarinic antagonist
optokinetic nystagmus; acetylcholine; nicotinic antagonist; frog, 59

N

Negative reinforcement
visual discrimination; positive reinforcement; mouse, 269

Neglect
anteromedial cortex; head movement; orienting; attention; perseveration, 145

head movement; superior colliculus; attention, 131

Neonatal lesion
monocular optokinetic nystagmus; movement of the covered eye; lateral suprasylvian area; cat, 109

Neophobia
conditioned taste aversion; paradoxical sleep deprivation; fear; palatability; lithium chloride, 115

Neostriatum
inferior temporal cortex; limbic structure; habit formation; monkey, 99

Neurotoxicity
cholinergic system; γ-Aminobutyric acid; gliosis; nucleus basalis; recovery; saline; turning, 123

Nicotinic antagonist
optokinetic nystagmus; acetylcholine; muscarinic antagonist; frog, 59

Norepinephrine
Korsakoff's disease; thalamic lesion; memory impairment, 223

Nucleus accumbens
emotion; motivation; limbic system; lesion; rat, 45

Nucleus basalis
cholinergic system; γ-Aminobutyric acid; gliosis; neurotoxicity; recovery; saline; turning, 123

Nucleus basalis magnocellularis
place navigation; spatial learning; ibotenic acid; choline acetyltransferase; medial septum/vertical limb of diagonal band of Broca; rat, 9

O

Olfaction
anterior commissure; habituation; cardiac response; interhemispheric transfer; pigeon, 173

Opioid
cocaine; enkephalin; dopamine; motor activity; sensitization, 87

Optokinetic nystagmus
acetylcholine; muscarinic antagonist; nicotinic antagonist; frog, 59

Orienting
anteromedial cortex; head movement; neglect; attention; perseveration, 145

P

Palatibility
conditioned taste aversion; paradoxical sleep deprivation; neophobia; fear; lithium chloride, 115

Paradoxical sleep deprivation
conditioned taste aversion; neophobia; fear; palatability; lithium chloride, 115

Perseveration
anteromedial cortex; head movement; orienting; neglect; attention, 145

Pigeon
anterior commissure; habituation; olfaction; cardiac response; interhemispheric transfer, 173

hippocampal ablation; postoperative acquisition; reference memory; homing; spatial behavior, 179

Place navigation
spatial learning; ibotenic acid; choline acetyltransferase; nucleus basalis magnocellularis; medial septum/vertical limb of diagonal band of Broca; rat, 9

Position learning
brain asymmetry; sex difference; chick, 189

Positive reinforcement
visual discrimination; negative reinforcement; mouse, 269

Posterior cingulate cortex
anterior cingulate cortex; electrolytic lesion; ibotenic acid lesion; Hebb–Williams maze; mouse, 161

Postoperative acquisition
hippocampal ablation; reference memory; homing; spatial behavior; pigeon, 179

Progressive ratio
food motivation; behavioral difference; gonadectomy; male Wistar rat; female Wistar rat, 215

R

Rat
emotion; motivation; limbic system; nucleus accumbens; lesion, 45

place navigation; spatial learning; ibotenic acid; choline acetyltransferase; nucleus basalis magnocellularis; medial septum/vertical limb of diagonal band of Broca, 9

Recovery
cholinergic system; γ-Aminobutyric acid; gliosis; neurotoxicity; nucleus basalis; saline; turning, 123

Reference memory
hippocampal ablation; postoperative acquisition; homing; spatial behavior; pigeon, 179

Regression
caudate nucleus; dopamine; behavior; cat, 193

S

Saline
cholinergic system; γ-Aminobutyric acid; gliosis; neurotoxicity; nucleus basalis; recovery; turning, 123

Sensitization
cocaine; opioid; enkephalin; dopamine; motor activity, 87

Serotonin
Labroides dimidiatus; sleep-appetitive behaviour; swimming activity; *p*-chlorophenylalanine; arginine vasotocin; vasoactive intestinal polypeptide, 73

Sex difference
brain asymmetry; position learning; chick, 189

spatial navigation; Morris water maze; fetal alcohol effect; alcohol; hippocampus, 247

Sleep-appetitive behaviour
Labroides dimidiatus; swimming activity; serotonin; *p*-chlorophenylalanine; arginine vasotocin; vasoactive intestinal polypeptide, 73

Somatotopy
striatum; motor control; feeding; gait; biting; manipulation; ibotenic acid, 21

Spatial behavior
hippocampal ablation; postoperative acquisition; reference memory; homing; pigeon, 179

Spatial learning
place navigation; ibotenic acid; choline acetyltransferase; nucleus basalis magnocellularis; medial septum/vertical limb of diagonal band of Broca; rat, 9

Spatial navigation
Morris water maze; fetal alcohol effect; sex difference; alcohol; hippocampus, 247

Spontaneous alternation
cerebellum; motor activity; hole poking; staggerer mutant mice, 273

Staggerer mutant mice
cerebellum; spontaneous alternation; motor activity; hole poking, 273

Stereotypic behavior
histidyl-proline diketopiperazine; amphetamine; apomorphine, 241

Strategy
visuo-motor; tracking; monkey, 1

Striatum
motor control; somatotopy; feeding; gait; biting; manipulation; ibotenic acid, 21

Substantia nigra pars reticulata
superior colliculus; caudate nucleus; movement; haloperidol; apomorphine; cat, 205

Superior colliculus
head movement; neglect; attention, 131

substantia nigra pars reticulata; caudate nucleus; movement; haloperidol; apomorphine; cat, 205

Swimming activity
Labroides dimidiatus; sleep-appetitive behaviour; serotonin; *p*-chlorophenylalanine; arginine vasotocin; vasoactive intestinal polypeptide, 73

T

T-maze
amnesia; cornu ammonis 2 (CA2); hippocampus; ischemia; learning; memory, 259

Thalamic lesion
Korsakoff's disease; norepinephrine; memory impairment, 223

Tracking
visuo-motor; strategy; monkey, 1

Turning
cholinergic system; γ-Aminobutyric acid; gliosis; neurotoxicity; nucleus basalis; recovery; saline, 123

V

Vasoactive intestinal polypeptide
Labroides dimidiatus; sleep-appetitive behaviour; swimming activity; serotonin; *p*-chlorophenylalanine; arginine vasotocin, 73

Visual discrimination
positive reinforcement; negative reinforcement; mouse, 269

Visual receptive field
frontal eye field; microstimulation; eye movement; monkey, 93

Visuo-motor
tracking; strategy; monkey, 1

W

Wistar rat
conflict; competition, 37